

伸銅品

銅小板(C1100P)

サイズ	
0.1	× 365 × 1200
0.15	× 365 × 1200
0.2	× 365 × 1200
0.25	× 365 × 1200
0.3	× 365 × 1200
0.4	× 365 × 1200
0.5	× 365 × 1200
0.6	× 365 × 1200
0.7	× 365 × 1200
0.8	× 365 × 1200
1.0	× 365 × 1200
1.2	× 365 × 1200
1.4	× 365 × 1200
1.5	× 365 × 1200
1.6	× 365 × 1200
1.8	× 365 × 1200
2.0	× 365 × 1200
2.3	× 365 × 1200
2.5	× 365 × 1200
2.6	× 365 × 1200
3.0	× 365 × 1200
3.2	× 365 × 1200
3.5	× 365 × 1200
4.0	× 365 × 1200
4.5	× 365 × 1200
5.0	× 365 × 1200
6.0	× 365 × 1200
8.0	× 365 × 1200
10.0	× 365 × 1200
12.0	× 365 × 1200
15.0	× 365 × 1200
16.0	× 365 × 1200
20.0	× 365 × 1200
25.0	× 365 × 1200
30.0	× 365 × 1200
35.0	× 365 × 1200
40.0	× 365 × 1200
45.0	× 365 × 1200
50.0	× 365 × 1200
60.0	× 365 × 1200
80.0	× 365 × 1200
100.0	× 365 × 1200

銅大板(C1100P)

サイズ	
0.6	× 1000 × 2000
0.8	× 1000 × 2000
1.0	× 1000 × 2000
1.2	× 1000 × 2000
1.5	× 1000 × 2000
1.6	× 1000 × 2000
2.0	× 1000 × 2000
2.3	× 1000 × 2000
2.5	× 1000 × 2000
3.0	× 1000 × 2000
3.2	× 1000 × 2000
4.0	× 1000 × 2000
5.0	× 1000 × 2000
6.0	× 1000 × 2000
8.0	× 1000 × 2000
10.0	× 1000 × 2000
12.0	× 1000 × 2000
15.0	× 1000 × 2000
20.0	× 1000 × 2000
25.0	× 1000 × 2000

銅条(CUR)

肉厚	幅
0.01	100
0.02	100
0.03	100・200
0.04	100
0.05	100・200
0.06	100
0.07	100・200
0.08	100

※1m単位で切断

黄銅小板(C2801P)

サイズ	
0.1	× 365 × 1200
0.15	× 365 × 1200
0.2	× 365 × 1200
0.25	× 365 × 1200
0.3	× 365 × 1200
0.4	× 365 × 1200
0.5	× 365 × 1200
0.6	× 365 × 1200
0.7	× 365 × 1200
0.8	× 365 × 1200
1.0	× 365 × 1200
1.2	× 365 × 1200
1.4	× 365 × 1200
1.5	× 365 × 1200
1.6	× 365 × 1200
1.8	× 365 × 1200
2.0	× 365 × 1200
2.3	× 365 × 1200
2.5	× 365 × 1200
2.6	× 365 × 1200
3.0	× 365 × 1200
3.2	× 365 × 1200
3.5	× 365 × 1200
4.0	× 365 × 1200
4.5	× 365 × 1200
5.0	× 365 × 1200
6.0	× 365 × 1200
8.0	× 365 × 1200
10.0	× 365 × 1200
12.0	× 365 × 1200
15.0	× 365 × 1200
20.0	× 365 × 1200
25.0	× 365 × 1200
30.0	× 365 × 1200
35.0	× 365 × 1200
40.0	× 365 × 1200
50.0	× 365 × 1200

※0.1t・0.15tはC2680P

切板150t(実寸151.5t)まであります。

黄銅大板(C2801P)

サイズ	
0.6	× 1000 × 2000
0.8	× 1000 × 2000
1.0	× 1000 × 2000
1.2	× 1000 × 2000
1.5	× 1000 × 2000
1.6	× 1000 × 2000
2.0	× 1000 × 2000
2.5	× 1000 × 2000
3.0	× 1000 × 2000
3.2	× 1000 × 2000
4.0	× 1000 × 2000
5.0	× 1000 × 2000
6.0	× 1000 × 2000
8.0	× 1000 × 2000
10.0	× 1000 × 2000
12.0	× 1000 × 2000
15.0	× 1000 × 2000
20.0	× 1000 × 2000

黄銅条(BSR)

肉厚	幅
0.01	100
0.02	100
0.03	100・200
0.04	100
0.05	100・200
0.06	100
0.07	100・200
0.08	100

※1m単位で切断

C1020P・C1220Pも
あります。
C1020P切板150tまで
あります。

伸銅品

銅丸棒・黄銅丸棒・黄銅六角棒

	C1100B	C3604B	C3604B
サイズ	銅丸棒	黄銅丸棒	黄銅六角棒
2	2 m	2 m	
2.3		2 m	
2.5		2 m	
2.6		2 m	
3	2 m	2 m	
4	2 m	2 m	
4.8		2 m	
5	2 m・4 m	2 m	2 m
5.5		2 m	2 m
6	2 m・4 m	2 m	2 m
7	2 m・4 m	2 m	2 m
8	2 m・4 m	2 m	2 m
8.5		2 m	
9	2 m・4 m	2 m	2 m
9.5		2 m	
10	2 m・4 m	2 m・4 m	4 m
11	4 m	2 m・4 m	2 m
12	4 m	4 m	4 m
13	4 m	4 m	4 m
14	4 m	4 m	4 m
15	4 m	4 m	4 m
16	4 m	4 m	4 m
17	4 m	4 m	4 m
18	4 m	4 m	4 m
19	4 m	4 m	4 m
20	4 m	4 m	4 m
21	4 m	4 m	4 m
22	4 m	4 m	4 m
23	4 m	4 m	4 m
24	4 m	4 m	4 m
25	4 m	4 m	4 m
26	4 m	4 m	4 m
27		4 m	4 m
28	4 m	4 m	4 m
29	4 m	4 m	4 m
30	4 m	4 m	4 m
31		4 m	
32	4 m	4 m	4 m
33		4 m	
34		4 m	4 m
35	4 m	4 m	4 m
36	4 m	4 m	4 m
38	4 m	4 m・5 m	4 m
40	4 m	4 m・5 m	4 m
41		4 m	4 m
42	4 m	4 m・5 m	
44		4 m	
45	4 m	4 m・5 m	4 m
46		4 m	4 m
48	4 m	4 m・5 m	

	C1100B	C3604B	C3604B
サイズ	銅丸棒	黄銅丸棒	黄銅六角棒
50	4 m	4 m・5 m	4 m
52		4 m	
54		4 m	4 m
55	4 m	4 m・5 m	4 m
56		4 m	
58		4 m	4 m
60	4 m	4 m・5 m	4 m
61	4 m		
62		4 m	
65	4 m	4 m・5 m	4 m
70	4 m	4 m・5 m	4 m
71	4 m		
75	4 m	4 m・5 m	4 m
80	4 m	3m・4 m・5 m	4 m
85	4 m	2.5 m・4 m・5 m	
90	4 m	4 m・5 m・乱尺	乱尺
95	4 m	乱尺	
100	4 m	乱尺	
101.6	4 m		
105	4 m	乱尺	
110	4 m	乱尺	
115	乱尺	乱尺	
120	4 m・乱尺	乱尺	
125	乱尺	乱尺	
130	4 m・乱尺	乱尺	
135		乱尺	
140	乱尺	乱尺	
150	乱尺	乱尺	
160	乱尺	乱尺	
170	乱尺	乱尺	
180	乱尺	乱尺	
190	乱尺	乱尺	
200	乱尺	乱尺	
210		乱尺	
220		乱尺	
230		乱尺	
240		乱尺	
250		乱尺	
260		乱尺	
270		乱尺	
280		乱尺	
300		乱尺	
320		乱尺	

※丸棒の外径の細い寸法はC3602Bになる場合があります。

伸銅品

特殊黄銅丸棒

	C4641B	C6782B
外径	ネーバル黄銅棒	高力黄銅棒
10	4 m	4 m
12	4 m	4 m
13	4 m	4 m
14	4 m	
15	4 m	
16	4 m	4 m
18	4 m	
19	4 m	4 m
20	4 m	4 m
22	4 m	4 m
25	4 m	4 m
28	4 m	4 m
30	4 m	4 m
32	4 m	4 m
35	4 m	4 m
38	4 m	4 m
40	4 m	5 m
42	4 m	5 m
45	4 m	5 m
50	4 m	5 m
55	4 m	5 m
60	4 m	5 m
65	4 m	5 m
70	4 m	5 m
75	4 m	5 m
80	4 m	5 m
85	4 m	5 m
90	3.5 m～4 m	乱尺
95		乱尺
100	乱尺	乱尺
101.6	乱尺	
110	乱尺	乱尺
120	乱尺	乱尺
130	乱尺	乱尺
140	乱尺	乱尺
150	乱尺	乱尺
160	乱尺	乱尺
180	乱尺	乱尺

その他取扱品
 無酸素銅棒・磷青銅棒・クローム銅棒・
 アルミ青銅棒・ベリリウム銅棒・
 鍛造用黄銅棒
 別途問い合わせ下さい。

カドミフリー黄銅棒 C3604BD-F(C-HG)

カドミウム75ppm以下

外径	丸棒	六角棒	四角棒
5	2 m		
6	2 m		
8	2 m		
10	2 m・4 m		
12	4 m	4 m	
13	4 m		
14	4 m	4 m	
15	4 m		
16	4 m	4 m	
17		4 m	
18	4 m		
19	4 m	4 m	
20	4 m		
21	4 m	4 m	
22	4 m	4 m	
23	4 m		
24	4 m	4 m	
25	4 m		
26	4 m	4 m	
27		4 m	
28	4 m		
30	4 m		4 m
32	4 m	4 m	
34	4 m		
35	4 m		
36	4 m		
38	4 m		
40	4 m		4 m
41		4 m	
42	4 m		
45	4 m		
46	4 m		
48	4 m		
50	4 m	4 m	4 m
54	4 m		
55	4 m		
60	4 m		

エコプラス® 鉛レス黄銅棒(C6932)

外径	丸棒	外径	丸棒
2	2 m	10	2.5 m
2.5	2 m	12	2.5 m
3	2 m	15	2.5 m
4	2 m	18	2.5 m
5	2 m	20	2.5 m
6	2 m	25	2.5 m
7	2 m	30	2.5 m
8	2.5 m	40	2.5 m

エコプラス®は三菱マテリアル社のオリジナル商品です。

伸銅品

銅帯(C1100BB) 定尺5000

銅四角棒
(C1100B) 定尺4000

サイズ		サイズ		サイズ	
2	× 10	6	× 12	12	× 20
	× 12		× 15		× 30
	× 15		× 18		× 40
	× 20		× 20		× 50
	× 30		× 25		× 60
3	× 10	8	× 30	15	× 75
	× 12		× 32		× 100
	× 14		× 35		× 125
	× 15		× 38		× 150
	× 16		× 40		× 20
	× 18		× 50		× 25
	× 20		× 60		× 30
	× 25		× 65		× 40
	× 30		× 75		× 50
	× 32		× 80		× 60
	× 35		× 100		× 75
	× 40		× 125		× 100
	× 50		× 150		× 125
× 75	× 150	× 150			
4	× 10	10	× 20	20	× 30
	× 12		× 25		× 40
	× 15		× 28		× 50
	× 18		× 30		× 75
	× 20		× 35		× 100
	× 25		× 40		× 125
	× 30		× 50		× 150
	× 35		× 60		× 30
	× 40		× 65		× 40
	× 50		× 75		× 50
× 60	× 80	× 75			
5	× 12	10	× 100	30	× 80
	× 15		× 125		× 100
	× 18		× 150		× 100
	× 20		× 20		
	× 22		× 25		
	× 25		× 30		フルラウンド
	× 30		× 35		サイズ
	× 32		× 40		4 × 50
	× 35		× 50		× 50
	× 40		× 60		10 × 75
	× 45		× 75		× 100
	× 50		× 80		
	× 60		× 100		
	× 75		× 125		
	× 100		× 150		
× 125					

サイズ	
8 ×	8
10 ×	10
12 ×	12
15 ×	15
20 ×	20
25 ×	25
30 ×	30
35 ×	35
40 ×	40
45 ×	45
50 ×	50
55 ×	55
60 ×	60

伸銅品

黄銅四角棒(C3604B)・平角棒(C3604B相当)

定尺4000

サイズ	サイズ	サイズ	サイズ	サイズ
2	× 10	5	× 5	12
	× 6		× 16	
	× 8		× 18	
	× 9		× 20	
	× 10		× 22	
	× 12		× 25	
	× 15		× 30	
	× 16		× 35	
	× 18		× 38	
	× 19		× 40	
	× 20		× 45	
	× 25		× 50	
3	× 30	8	× 6	12
	× 32		× 16	
	× 35		× 18	
	× 38		× 20	
	× 40		× 22	
	× 45		× 25	
	× 50		× 30	
	× 6		× 35	
	× 8		× 38	
	× 9		× 40	
	× 10		× 45	
	× 12		× 50	
4	× 14	9	× 7	12
	× 15		× 16	
	× 16		× 18	
	× 18		× 20	
	× 19		× 22	
	× 20		× 25	
	× 22		× 30	
	× 25		× 35	
	× 30		× 38	
	× 32		× 40	
	× 35		× 45	
	× 40		× 50	
4.5	× 45	10	× 8	12
	× 50		× 16	
	× 6		× 18	
	× 9		× 20	
	× 10		× 22	
	× 12		× 25	
	× 15		× 30	
	× 18		× 35	
	× 20		× 38	
	× 25		× 40	
	× 30		× 45	
	× 35		× 50	
4.5	× 40	11	× 9	12
	× 50		× 16	
	× 6		× 18	
	× 9		× 20	
	× 10		× 22	
	× 12		× 25	
	× 15		× 30	
	× 18		× 35	
	× 20		× 38	
	× 25		× 40	
	× 30		× 45	
	× 35		× 50	
4.5	× 45	12	× 10	12
	× 50		× 16	
	× 6		× 18	
	× 9		× 20	
	× 10		× 22	
	× 12		× 25	
	× 15		× 30	
	× 18		× 35	
	× 20		× 38	
	× 25		× 40	
	× 30		× 45	
	× 35		× 50	

黄銅アングル

(C3604B相当)

肉厚	巾サイズ
1.2	9.5×9.5
	13×13
1.5	10×10
	15×15
	20×20
2	15×15
	20×20
	25×25
	30×30
3	9×9
	12×12
	15×15
	16×16
	20×20
	25×25
	30×30
	38×38
	40×40
	50×50
4	30×30
	40×40
	50×50
5	25×25
	30×30
	40×40
	50×50
6	50×50
	60×60

定尺4000

※2×10, 4×4
は定尺2000

※75×75以上
は乱尺

伸銅品

銅管 (C1220T)

定尺5000 ($\phi 2$ 、 $\phi 2.5$ 、 $\phi 3 \times 0.5$ は定尺2500)

外径 ϕ	肉厚					
2.0	0.4					
2.5	0.4					
3.0	0.5	0.75				
4.0	0.5	0.8	1.0			
4.76	0.8					
5.0	0.5	0.8	1.0			
6.0	0.5	0.8	1.0	1.2	1.5	2.0
6.35	0.8	1.0	1.2	1.5	2.0	
6.4	1.0					
7.0	1.0	1.5				
8.0	0.8	1.0	1.2	1.4	1.5	2.0
9.0	1.0	1.5				
9.5	1.0	1.2	1.6			
9.53	0.8	1.0	1.2	1.5	2.0	
10.0	0.8	1.0	1.2	1.4	1.5	1.6
	2.0	2.8				
11.0	1.0	1.5	2.0			
12.0	0.8	1.0	1.2	1.4	1.5	2.0
	2.5	3.0				
12.7	0.8	1.0	1.2	1.5	2.0	3.0
14.0	1.0	1.2	1.5	1.6	2.0	3.0
15.0	1.0	1.2	1.5	1.6	2.0	3.0
15.88	0.6	0.8	1.0	1.2	1.5	2.0
	3.0					
15.9	0.8	1.0	1.2	1.6	2.0	
16.0	1.0	1.5	2.0	2.5	3.0	4.0
17.3	2.3					
18.0	1.0	1.2	1.5	1.6	2.0	3.0
19.05	0.8	1.0	1.2	1.5	1.6	2.0
	2.5	3.0	4.0			
20.0	1.0	1.2	1.5	1.6	1.8	2.0
	2.5	3.0	4.0	5.0		
21.7	2.6					
22.0	1.2	1.5	2.0	2.5	3.0	3.5
	4.0	5.0				
22.22	0.8	1.0	1.2	1.6		
25.0	1.0	1.5	1.6	1.8	2.0	2.5
	3.0	4.0	5.0			
25.4	0.8	1.0	1.2	1.5	1.6	2.0
	2.5	3.0	5.0			
27.0	3.0					
27.2	2.6					
28.0	1.0	1.5	2.0	3.0		
28.5	1.0	1.6				
28.58	0.89	1.0	1.2	1.5	2.0	3.0
30.0	1.0	1.5	1.6	2.0	2.5	3.0
	4.0	5.0				
31.8	0.8	1.0	1.2	1.5	1.6	2.0
	2.5	3.0	4.0	5.0		

外径 ϕ	肉厚					
32.0	2.0	2.5	3.0			
34.0	2.0	3.0				
34.93	1.07	1.2	1.4	1.5		
35.0	1.2	1.5	2.0	2.5	3.0	
	4.0	5.0				
38.1	1.0	1.2	1.5	2.0	2.5	
	3.0	4.0	5.0	6.0		
40.0	1.5	2.0	2.5	3.0	4.0	
	5.0					
41.28	1.24					
41.3	1.24	1.5	2.0	3.0		
42.7	3.0	3.5				
44.45	1.0	1.5	2.0	3.0		
44.5	2.0	3.0				
45.0	2.0	2.5	3.0	4.0	5.0	
46.0	2.0					
48.0	3.0					
48.6	3.0	3.5				
50.0	2.0	3.0	5.0			
50.8	1.2	1.5	2.0	2.5	3.0	
	4.0	5.0				
53.98	1.47	1.78	2.0			
55.0	2.0	2.5	3.0	5.0		
57.0	3.0					
57.1	1.5	3.0				
58.0	2.0					
60.0	2.0	3.0	5.0			
63.5	1.2	1.6	2.0	2.5	3.0	
	4.0	5.0				
65.0	3.0					
66.6	2.0					
70.0	2.0	3.0	4.0	5.0		
73.0	3.0					
75.0	3.0					
76.2	1.5	2.0	3.0	4.0	5.0	
80.0	3.0	5.0				
82.5	3.0					
88.9	2.0	3.0	5.0			
100.0	4.0	5.0				
101.6	2.0	3.0	5.0			
104.78	2.79					
110.0	3.0	5.0				
114.3	3.0					
120.0	5.0					
130.0	5.0					
140.0	5.0					
150.0	5.0					

伸銅品

軟質銅管(C1220T-O)

外径φ	肉厚	長さ(m)			
2	0.5	300m			
3	0.5	20m	100m		
3.18	0.5	20m			
4	0.5	10m			
4	0.6	10m			
4	0.8	10m	20m	100m	
4	1	10m	20m	100m	
4.76	0.8	10m			
4.8	0.8	10m	50m		
5	0.8	10m	20m		
5	1	10m	20m		
6	0.8	10m	20m	100m	200m
6	1	5m	10m	20m	30m
		50m	100m	200m	
6	1.2	10m	20m	30m	
6	1.5	30m			
6.35	0.8	10m	20m	50m	
6.35	1	5m	10m	20m	50m
		100m			
6.4	0.8	20m			
6.4	1	3m	5m	20m	
8	0.8	10m	20m		
8	1	5m	10m	20m	30m
		50m	100m		
8	1.2	10m	20m	30m	
8	1.5	10m	20m	30m	50m
		100m			
8	2	10m	20m	30m	
9.5	0.8	20m			
9.5	1	20m			
9.5	1.2	20m			
9.53	0.8	10m	20m	50m	
9.53	1	10m	20m	50m	100m
9.53	1.2	10m	20m		
9.53	1.5	10m	20m	30m	
10	0.8	10m	20m		
10	1	5m	10m	20m	30m
		50m	100m		
10	1.2	10m	20m	30m	50m
10	1.4	30m			
10	1.5	10m	20m	30m	50m
10	1.6	30m			
10	2	10m	20m	30m	100m

外径φ	肉厚	長さ(m)		
12	1	5m	10m	20m
		30m	50m	
12	1.2	10m	20m	30m
		50m		
12	1.5	10m	20m	30m
12	1.6	30m		
12	2	10m	20m	30m
12.7	0.8	10m	20m	50m
12.7	1	10m	20m	50m
12.7	1.2	10m	20m	
12.7	1.5	10m	20m	30m
14	1	10m		
14	1.5	10m	20m	
14	2	10m	20m	30m
15	1	10m	20m	
15	1.2	10m	20m	30m
15	1.5	10m	20m	30m
15	1.6	30m		
15	2	10m	20m	30m
15.88	1	10m	20m	50m
15.88	1.2	10m	20m	
15.88	1.5	10m	20m	30m
15.88	2	10m	20m	30m
15.9	1	20m		
15.9	1.2	20m		
15.9	1.5	30m		
16	2	30m		
19.05	1	10m	20m	50m
19.05	1.2	10m	20m	
19.05	1.5	10m	20m	30m
20	2	20m		
22.22	1	10m	20m	

※サイズにより10m単位で切断販売できます。

伸銅品

黄銅丸管(C2700T)

定尺5000 (※φ1.6は定尺2000、※φ2、φ2.5、φ3、φ4は定尺2500)

外径φ	肉厚				
1.6	0.2				
2.0	0.35				
2.5	0.4				
3.0	0.5				
4.0	0.5	0.8	1.0		
5.0	0.5	0.8	1.0		
6.0	0.5	0.8	1.0	1.2	1.5
6.35	0.5	0.8	1.0		
7.0	0.5	0.9	1.0		
8.0	0.5	0.8	1.0	1.2	1.5
	2.0				
9.0	0.5	0.8	1.0	1.5	
9.53	0.5	0.8	1.0	1.2	1.5
10.0	0.5	0.8	1.0	1.2	1.5
	2.0				
11.0	0.8	1.0	1.5		
12.0	0.8	1.0	1.2	1.5	2.0
12.7	0.5	0.8	1.0	1.2	1.5
	2.0	3.0			
13.0	1.0				
14.0	0.8	1.0	1.5	2.0	
15.0	1.0	1.2	1.5	2.0	3.0
15.88	0.5	0.8	1.0	1.2	1.5
	2.0	3.0			
16.0	1.5	2.0	3.0		
17.0	2.0				
18.0	1.0	1.5	2.0	3.0	
19.05	0.5	0.8	1.0	1.2	1.5
	2.0	3.0			
20.0	1.0	1.5	2.0	3.0	
21.7	2.5				
22.0	0.5	0.8	1.0	1.2	1.5
	2.0	3.0	4.0		
24.0	2.0				
25.0	1.0	1.2	1.5	2.0	2.5
	3.0				
25.4	0.5	0.8	1.0	1.2	1.5
	2.0	2.5	3.0	5.0	
27.0	3.0	3.5	4.0		
28.0	1.0	1.5	2.0	3.0	4.0
28.58	1.5	2.0	3.0	5.0	
30.0	1.0	1.5	2.0	2.5	3.0
	4.0	5.0			
31.8	0.8	1.0	1.2	1.5	2.0
	2.5	3.0	4.0	5.0	
32.0	1.5				
34.0	1.5	2.0	3.0	4.0	
35.0	1.0	1.2	1.5	2.0	3.0
	4.0	5.0			

外径φ	肉厚					
36.0	1.5	3.0				
38.0	3.0					
38.1	0.8	1.0	1.2	1.5	2.0	3.0
	4.0	5.0				
40.0	1.0	1.5	2.0	3.0	4.0	5.0
41.3	1.5	3.0				
42.0	1.0	4.0				
42.7	1.5	3.0				
44.45	1.0	1.5	2.0	3.0	4.0	5.0
44.5	3.0	4.0	5.0			
47.6	1.5	3.0				
48.0	5.0					
48.6	3.0					
50.0	1.5	2.0	3.0	4.0	5.0	
50.8	1.0	1.2	1.5	2.0	3.0	4.0
	5.0					
54.0	1.5					
55.0	1.5	3.0	5.0			
57.1	1.5	2.0	3.0	4.0	5.0	
57.2	4.0	5.0				
60.0	1.0	1.5	2.0	4.0	5.0	
60.3	3.0	4.0	5.0			
60.5	3.0					
63.5	1.2	1.5	2.0	3.0	4.0	5.0
65.0	3.0	5.0				
70.0	2.0	3.0	4.0	5.0	6.0	
75.0	3.0	5.0				
76.2	1.5	2.0	3.0	4.0	5.0	6.0
80.0	3.0	4.0	5.0			
82.5	3.0	5.0				
85.0	3.0	5.0				
88.9	1.6	2.0	3.0	4.0	5.0	
90.0	3.0	5.0				
95.0	3.0	5.0				
100.0	3.0	5.0				
#####	1.6	2.0	3.0	4.0	5.0	6.0
108.0	3.0					
110.0	3.0	5.0				
114.3	3.0	5.0				
120.0	3.0	5.0				
127.0	3.0	5.0	6.0	6.5		
130.0	5.0					
135.0	5.0					
140.0	3.0	5.0	6.0			
152.4	3.2	5.0	6.0			
160.0	5.0	6.0				
165.0	5.0					
180.0	5.0					

伸銅品

黄銅四角管 (C2700T)

定尺5000 (※6×6は定尺2000)

外径	肉厚		
6×6	0.5		
9.5×9.5	1		
12.7×12.7	1	1.2	
15.9×15.9	1	1.5	
19×19	1	1.5	
22.2×22.2	1	1.5	
25.4×25.4	1	1.2	1.5
28×28	1.5		
30×30	1.2	1.5	
31.8×31.8	1.2	1.5	
38.1×38.1	1.2	1.5	
40×40	1.5		
50×50	1.5		
60×60	1.5		
100×100	3		

黄銅平角管 (C2700T)

定尺5000

外径	肉厚		
10×15	1	1.5	
10×20	1		
10×30	1		
12×22	1.2		
12×25	1.2		
15×30	1.2	1.5	
20×30	1.5		
20×40	1.5		
20×50	1.5		
25×40	1.5		
25×50	1.5		
30×50	1.5		
30×60	1.5		
40×80	2		
50×100	2		