

### アルミ定尺板

肉厚	材質	A1050P		A5052P		アルマイトB2(片面SPV)	
		1000×2000	1250×2500	1000×2000	1250×2500	1000×2000	1250×2500
0.5		○		○			
0.6		○		○			
0.8		○	○	○	○		
1.0		○	○	○	○	○	○
1.2		○	○	○	○		
1.5		○	○	○	○	○	○
2.0		○	○	○	○	○	○
2.5		○		○	○		
3.0		○	○	○	○	○	○
4.0		○	○	○	○		
5.0		○	○	○	○		
6.0		○	○	○	○		

その他の材質・寸法についてもお問い合わせ下さい。

### アルミ小板定尺

材質：A1050P

肉厚	幅×長さ
0.2	400×1200
0.3	400×1200
0.4	400×1200
0.5	400×1200
0.8	400×1200
1.0	400×1200
1.5	400×1200
2.0	400×1200
3.0	400×1200

### アルミ縞板 縞目:5本線 (UACJ)

材質：A5052

肉厚	1250×2500	1525×3050
2.0	○	
2.5	○	
3.0	○	○
3.5	○	○
4.5	○	○
6.0	○	

その他の縞目についてもお問い合わせ下さい。

# アルミ

## アルミ切板

肉厚	材質	A5052P	A2017P	A1050P	A5083P O材	A6061P	A7075P
	0.5	○			○		
0.6	○			○			
0.8	○			○			
1.0	○		○	○			
1.2	○			○			
1.5	○		○	○			
2.0	○		○	○	○	○	
2.5	○			○			
3.0	○		○	○	○	○	
4.0	○		○	○	○	○	
5.0	○		○	○	○	○	
6.0	○		○	○	○	○	
7.0	○						
8.0	○		○	○	○	○	
10.0	○		○	○	○	○	○
12.0	○		○	○	○	○	○
15.0	○		○	○	○	○	○
16.0	○				○		
18.0	○						
20.0	○		○	○	○	○	○
22.0	○				○		
25.0	○		○	○	○	○	○
30.0	○		○	○	○	○	○
35.0	○		○		○	○	○
40.0	○		○	○	○	○	○
45.0	○		○		○	○	○
50.0	○		○	○	○	○	○
55.0	○		○		○		○
60.0	○		○		○	○	○
65.0	○		○		○	○	○
70.0	○		○		○	○	○
75.0	○		○				
80.0	○		○		○	○	○
85.0	○		○				
90.0	○		○		○	○	○
95.0	○		○				
100.0	○		○		○	○	○
110.0	○		○		○	○	
120.0	○		○		○	○	
130.0	○		○		○	○	○
140.0	○						
150.0	○		○			○	
160.0	○						
170.0	○						
180.0	○						
200.0	○						
250.0	○						

その他の材質についてもお問い合わせ下さい。

A2024P、高精度アルミ合金板(アルハイス)等取り扱っています。

# アルミ

## アルミ丸棒①

材質 外径	A5056B	A2017B	A5052B	A1070B	A6061B	A7075B	定尺
3			○	○			
4			○	○			
5		○	○	○			
6	○	○	○	○			2000
7	○	○	○	○			
8	○	○	○	○			
9	○	○	○	○			
10	○	○	○	○	○	○	
11	○	○	○	○		○	
12	○	○	○	○	○	○	
13	○	○	○	○		○	
14	○	○	○	○		○	
15	○	○	○	○	○	○	
16	○	○	○	○	○	○	
17	○	○	○	○		○	
18	○	○	○	○		○	
19	○	○	○	○	○		4000
20	○	○	○	○	○	○	(材質により
21	○	○	○				2000も
22	○	○	○	○			あります)
23	○	○	○				
24	○	○					※7075は
25	○	○	○	○	○	○	2000
26	○	○	○	○			
28	○	○	○	○	○		メーカーに
27		○					より異なる
29	○						場合があります。
30	○	○	○	○	○	○	
32	○	○	○	○	○		
33	○	○					
34	○	○					
35	○	○	○	○	○	○	
36	○	○	○	○			
38	○	○	○	○			
40	○	○	○	○	○	○	
42	○	○	○	○	○		
45	○	○	○	○	○	○	
46	○	○					
48	○	○	○				
50	○	○	○	○	○	○	
52	○	○					
55	○	○	○	○	○	○	
56	○						
58	○						
60	○	○	○	○	○	○	
61	○						
65	○	○	○	○	○	○	

# アルミ

## アルミ丸棒②

外径	材質						定尺
	A5056B	A2017B	A5052B	A1070B	A6061B	A7075B 又は相当品	
70	○	○	○	○	○	○	
75	○	○	○	○	○	○	
80	○	○	○	○	○	○	
85	○	○	○	○	○	○	
90	○	○	○	○	○	○	
95	○	○	○	○	○	○	
100	○	○	○	○	○	○	
105	○	○				○	
110	○	○	○	○	○	○	2000
115	○	○				○	
120	○	○	○	○	○	○	メーカーにより異なる場合があります。
125	○	○				○	
130	○	○	○	○	○	○	
135	○	○				○	
140	○	○	○	○	○	○	
145	○	○				○	
150	○	○	○	○	○	○	
155	○	○				○	
160	○	○	○	○	○	○	
170	○	○	○		○	○	
180	○	○	○		○	○	
190	○	○	○		○	○	
200	○	○	○		○	○	
210	○	○			○	○	
220	○	○			○	○	
230	○	○			○	○	
240	○	○			○		
250	○	○			○	○	
260	○	○			○		
270	○	○			○		
280	○	○			○	○	
290	○	○			○		
300	○	○			○	○	
310	○	○			○		
320	○	○			○		
330	○	○					
340	○						
350	○	○					別途 お問い合わせ 下さい。
360	○						
370	○	○					
380	○						
390	○						
400	○						
420	○						
450	○						
480	○						

# アルミ

アルミ平角棒(材質A6063)

定尺4000

サイズ		サイズ		サイズ	
肉厚	幅	肉厚	幅	肉厚	幅
2	× 12	6	× 50	15	× 40
	× 15		× 60		× 50
	× 20		× 65		× 60
	× 25		× 75		× 75
	× 30		× 100		× 100
	× 35		× 15		× 150
3	× 10	8	× 20	20	× 25
	× 12		× 25		× 30
	× 15		× 30		× 35
	× 16		× 32		× 40
	× 20		× 35		× 50
	× 25		× 40		× 70
	× 30		× 50		× 80
	× 35		× 60		× 100
	× 40		× 75		× 30
	× 50		× 100		× 35
4	× 10	9	× 13	25	× 40
	× 12		× 20		× 50
	× 15		× 60		× 60
	× 20		× 15		× 80
	× 25	10	× 20	30	× 40
	× 28		× 25		× 50
	× 30		× 30		× 60
	× 40		× 35		× 75
	× 50		× 40		× 60
	× 70		× 45		× 50
5	× 10	10	× 50	40	× 75
	× 13		× 60		
	× 15		× 70		
	× 20		× 75		
	× 25	12	× 80	15	
	× 30		× 100		
	× 35		× 125		
	× 40		× 150		
	× 50		× 20		
	× 60		× 25		
6	× 70	12	× 30	15	
	× 10		× 40		
	× 12		× 50		
	× 15		× 60		
	× 20	× 75			
	× 25	× 100			
	× 30	× 120			
	× 32	× 20			
× 35	× 25				
× 40	× 30				

アルミ四角棒(A6063)

定尺4000(60×60まで)

サイズ	
肉厚	幅
6	× 6
7	× 7
8	× 8
9	× 9
10	× 10
12	× 12
13	× 13
14	× 14
15	× 15
16	× 16
19	× 19
20	× 20
22	× 22
25	× 25
30	× 30
32	× 32
35	× 35
38	× 38
40	× 40
45	× 45
50	× 50
55	× 55
60	× 60
70	× 70
80	× 80
90	× 90
100	× 100

70×70以上の定尺長さは  
その都度お問い合わせ下さい。

# アルミ

アルミアングル(材質A6063)

定尺4000

等辺アングル							
サイズ				Rナシ	R付		
1	×	10	×	10	○		
1.2	×	10	×	10	○		
	×	12	×	12	○		
	×	25	×	25	○		
	×	30	×	30	○		
1.5	×	15	×	15	○		
	×	19	×	19	○		
	×	20	×	20	○		
	×	25	×	25	○		
2	×	30	×	30	○		
	×	15	×	15	○		
	×	20	×	20	○		
	×	25	×	25	○		
	×	30	×	30	○		
2.5	×	40	×	40	○		
	×	25	×	25	○		
	×	15	×	15	○		
	×	20	×	20	○		
	×	25	×	25	○	○	
3	×	30	×	30	○	○	☆
	×	35	×	35	○		
	×	40	×	40	○	○	☆
	×	50	×	50	○	○	
	×	25	×	25	○		
4	×	30	×	30	○		
	×	35	×	35	○		
	×	40	×	40	○	○	☆
	×	50	×	50	○	○	
5	×	30	×	30	○	○	☆
	×	40	×	40	○	○	☆
	×	50	×	50	○	○	☆
	×	60	×	60	○	○	
6	×	40	×	40	○	○	☆
	×	50	×	50	○	○	☆
	×	60	×	60		○	☆
	×	65	×	65		○	☆
	×	70	×	70		○	
7	×	75	×	75		○	
	×	90	×	90		○	
	×	65	×	65		○	
8	×	75	×	75		○	
9	×	100	×	100	○	○	

定尺4000

不等辺アングル							
サイズ				Rナシ	R付		
1.5	×	15	×	20	○		
	×	15	×	25	○		
1.8	×	15	×	18	○		
2	×	15	×	20	○		
	×	15	×	30	○		
3	×	20	×	30	○		
	×	15	×	25	○		
	×	20	×	30	○		
	×	20	×	40	○		
4	×	25	×	50	○		
	×	25	×	38	○		
5	×	40	×	60	○		
	×	50	×	65	○	○	
5	×	50	×	75	○	○	
	×	75	×	100		○	
12	×	75	×	125		○	

☆サイズはA5052(R付)もあります。

# アルミ

アルミチャンネル(材質A6063)



定尺4000

肉厚	サイズ		Rナシ	R付
	A	B		
1.5	× 16	× 25	○	
1.6	× 10	× 10	○	
2.0	× 15	× 15	○	
	× 15	× 30	○	
	× 20	× 20	○	
2.4	× 25	× 25	○	
	× 30	× 30	○	
3.0	× 20	× 40	○	
	× 25	× 50	○	
	× 30	× 60	○	
4.0	× 30	× 50		○
	× 30	× 60		○
4.0	× 40	× 80	○	
	× 50	× 100	○	
6.0	× 40	× 75		○
	× 65	× 125		○

定尺5000

肉厚	サイズ		Rナシ	R付
	A	B		
1.0	× 20	× 20	○	
1.5	× 16	× 25	○	
1.6	× 10	× 10	○	
2.0	× 15	× 15	○	
	× 15	× 30	○	
	× 20	× 20	○	
	× 25	× 25	○	
2.4	× 30	× 30	○	
3.0	× 20	× 40	○	
	× 25	× 50	○	
	× 30	× 60	○	
4.0	× 40	× 80	○	
5.0	× 50	× 100	○	
6.0	× 40	× 75		○
6.0	× 65	× 125		○

# アルミ

アルミ角管(材質A6063)

定尺4000・5000

四角管

サイズ			定尺			
幅	× 幅	× 肉厚	4000	5000		
9	×	9	×	1.2		○
12	×	12	×	1.2		○
15	×	15	×	1.2		○
25.4	×	25.4	×	1.4		○
15	×	15	×	1.5	○	○
19	×	19	×	1.5	○	○
20	×	20	×	1.5		○
25	×	25	×	1.5		○
30	×	30	×	1.5		○
25.4	×	25.4	×	1.6	○	○
20	×	20	×	2.0	○	○
25	×	25	×	2.0	○	○
30	×	30	×	2.0	○	○
40	×	40	×	2.0	○	○
50	×	50	×	2.0	○	○
60	×	60	×	2.0	○	○
70	×	70	×	2.0		○
80	×	80	×	2.0	○	○
50	×	50	×	2.5		○
30	×	30	×	3.0	○	○
40	×	40	×	3.0	○	○
50	×	50	×	3.0	○	○
100	×	100	×	3.0		○

平角管

サイズ			定尺			
幅	× 幅	× 肉厚	4000	5000		
15	×	25	×	1.5	○	○
15	×	30	×	1.5		○
20	×	30	×	1.5		○
50	×	100	×	1.8		○
15	×	30	×	2.0		○
20	×	30	×	2.0	○	○
20	×	40	×	2.0	○	○
30	×	40	×	2.0	○	○
25	×	50	×	2.0	○	○
30	×	50	×	2.0		○
25	×	60	×	2.0	○	○
30	×	60	×	2.0	○	○
30	×	70	×	2.0		○
40	×	60	×	2.0		○
40	×	80	×	2.0		○
50	×	70	×	2.0		○
40	×	110	×	2.0		○
40	×	60	×	2.5		○
40	×	80	×	2.5	○	○
30	×	100	×	2.5		○
50	×	100	×	2.5	○	○
25	×	30	×	3.0		○
30	×	70	×	3.0	○	○
40	×	60	×	3.0	○	○
40	×	80	×	3.0		○
50	×	100	×	3.0		○
80	×	100	×	2.7		○
60	×	120	×	2.8		○

# アルミ

アルミ丸管 定尺4000

○…A1070T引抜管  
 ☆…A5052T引抜管  
 ◎…A6063T押出管

外径	肉厚									
	0.8	1.0	1.4	1.5	2.0	3.0	4.0	5.0	その他	
6		○								
8	○	○	☆							
10		○◎	☆	○						
11		◎								
12		○☆◎			○☆					
12.7		○								
13		◎								
14		○◎			○					
15		○◎	☆							
16		○◎		○◎	○☆	☆				
17		○								
18		○◎		○						
19		○☆◎		○◎	○☆	○				
20		○◎	☆	○◎	○☆◎	☆				
22		○◎		○◎	○☆◎	☆				
25		○◎		○◎	○☆◎	○☆◎				☆ t=1.6
28		◎		◎	○☆◎	☆◎				☆ t=1.6
30		○◎	☆	◎	○☆◎	○☆◎				
32				◎	○☆◎	○☆◎				
35				◎	○☆◎	○☆◎				
38				◎	○☆◎	○☆◎	☆	☆		☆ t=3.75
40		○		◎	○☆◎	○☆◎	○☆	☆		
42					○					
43				○						
45				◎	○☆◎	○☆◎		○☆		
50				○◎	○☆◎	○☆◎	○☆	○☆◎		
55					◎	◎		○☆		☆ t=8.0
60					☆◎	○☆◎	○☆	○☆◎		
65					◎	○☆◎		○☆		
70						○☆◎		○☆		
75						○☆◎		○☆		
80						○☆◎	☆	○☆		
85								○		
90						○◎	☆	○☆◎		
100						○☆◎	○	○☆◎		
110						○◎		○☆◎		
120						○◎	☆	○☆◎		
130						○☆		○☆◎		
140								☆		
150						○		○☆◎		
165								○		